

**TR11-A-S**

RoHS AEC-Q200


2023/03/22

**Outline**

This transformer is used for DC/DC converters, switching power supplies, and IGBT isolation transformers.

**Features**

- 1, It is highly efficient and can cope with high power.
- 2, A closed magnetic circuit structure is adopted to reduce electromagnetic interference.

**Dimensions**

Dimensions

Unit

ミネベアミツミ株式会社

Copyright©MinebeaMitsumi Inc. All right reserved.

# TR11-A-S

RoHS AEC-Q200


2023/03/22

mm

## Specifications

Operating Frequency upper limit [KHz]	Power capacity [W]
500	3.0

## Package Dimension



Q'ty [pcs./reel]	Tape Dimensions A [mm]	Tape Dimensions B [mm]	Tape Dimensions C a [mm]	Tape Dimensions C b [mm]	Tape Dimensions D a [mm]	Tape Dimensions D b [mm]
500	11.5	13.6	21.0	0.2	24	0.3

Tape Dimensions E a [mm]	Tape Dimensions E b [mm]	Tape Dimensions F a [mm]	Tape Dimensions F b [mm]	Tape Dimensions G [mm]	Tape Dimensions H a [mm]	Tape Dimensions H b [mm]
16	0.1	11.5	0.1	5.9	0.4	0.10

# TR11-A-S

RoHS AEC-Q200

2023/03/22

Reel Dimensions I a [mm]	Reel Dimensions I b [mm]	Reel Dimensions J a [mm]	Reel Dimensions J b [mm]	Reel Dimensions K a [mm]	Reel Dimensions K b [mm]
φ 330	φ 2	29.5	1	25.5	1